




SPEC IT RIGHT

STARTER & ALTERNATOR OPTION CODES
FOR NEW TRUCK ORDERS

STARTERS



29MT™ & 31MT™

- For medium applications
- Power: 10% more than competition
- OE Warranty: 1-year/unlimited mileage on service models; 2-year/unlimited mileage for school bus applications

31MT OPTION CODE


Freightliner/ Western Star 155-080

29MT OPTION CODE

Freightliner/ Western Star 155-057

38MT™

- For medium duty applications
- Power: 4.3kW peak at 12V
- OE Warranty: 1 year/unlimited miles




38MT OPTION CODE

Freightliner/ Western Star	155-058
Navistar	08WTK
International	0008WTK


38MT+™

- Tested and approved for all MX engines
- Power: 4.3kW peak at 12V
- Over Crank Protection: A built-in circuit breaker, protects the starter from thermal damage, automatically resetting at a safe operating temperature
- Design refinements for optimal performance
- Integral Magnetic Switch (IMS) reduces voltage drop and ensures the solenoid receives the maximum available voltage in any starting condition.
- Improved starter pinion engagement: Redefined electrical soft start reduces wear-and-tear by slowly rotating the pinion until it properly engages into the ring gear before cranking.
- OE Warranty: Integrated OCP model: 3 years/350,000 miles



38MT+ OPTIONS CODES

Kenworth 1832042 (MX)
Peterbilt 2522040 (MX)





39MT™

- Over Crank Protection: A built-in circuit breaker, protects the starter from thermal damage, automatically resetting at a safe operating temperature
- Design refinements for optimal performance
- Improved starter pinion engagement: Redefined electrical soft start reduces wear-and-tear by slowly rotating the pinion until it properly engages into the ring gear before cranking.
- OE Warranty: 3 years/350,000 miles with OCP

39MT OPTION CODES

Freightliner/ Western Star	155-055 OCP (Cummins) 155-076
International	0008WTL
Kenworth	1832039 (Cummins)
Mack	NCXA5X
Navistar	08WTL
Peterbilt	2522010* (Cummins)
Volvo	NCXA5X

* Special Quote



150MT™

- Optimized pinion speed: provides best-in-class cranking performance
- High performance power pack: provides optimized performance for better engine starts and supports multiple improved vehicle power sources/battery loading
- Long life operation and over crank thermal protection: offers more reliability to meet new vehicle requirements
- Improved mechanical rigidity: to support new vehicle operating requirements
- OE Warranty: 4year/400,000 miles

150MT OPTION CODES

Volvo 24V	169102
Mack 24V	3PEABX

ALTERNATORS



28SI™

- Output:
12 Volts 160 Amps - 120 Amps at idle
12 Volts 200 Amps - 140 Amps at idle
- Dual Internal Fans: Provides maximum cooling
- Remote Sense: Drastically reduce battery charge time
- OE Warranty: 2 years/250,000 miles



36SI™

- Output: 12 Volts 160/165 Amps - 100 Amps at idle
- Highest output at low RPM: Manages heavy electrical loads at low RPM preventing premature battery discharge
- Remote Sense: Drastically reduce battery charge time
- Brushless durability: 13 fewer moving parts than a brush-type alternator, eliminating components that wear out while extending product life
- OE Warranty: 3 years/350,000 miles



38SI™ & 40SI™

- Output:
38SI: 12 Volts 215 Amps - 121 Amps at idle
40SI: 12 Volts 240 Amps - 160 Amps at idle
40SI: 12 Volts 275 Amps - 180 Amps at idle
40SI: 12 Volts 300 Amps - 190 Amps at idle
40SI: 12 Volts 320 Amps - 190 Amps at idle
40SI: 24 Volts 130 Amps - 100 Amps at idle
40SI: 24 Volts 160 Amps - 125 Amps at idle
- Highest output at low RPM: Manages heavy electrical loads at idle preventing premature battery discharge
- Remote Sense: Drastically reduce battery charge time
- Brushless durability: 13 fewer moving parts than a brush-type alternator, eliminating components that wear out while extending product life
- Longer system life: Over spec'ing extends life of alternator
- Efficiency and power density: Highest combination in its class, providing substantial fuel savings
- OE Warranty: 3 years/350,000 miles

Note: reference warranty guide for new service and reman replacements

28SI OPTION CODES

Freightliner/ Western Star	160 Amp: 124-1D7, 124-1DJ (Quadmount)
	200 Amp: 124-1E1 180 Amp: 124-1D9
International	160 Amp: 0008GHP 200 Amp: 0008GHU
Kenworth	200 Amp: 1812400 (Pad)
Mack	160 Amp: 132AB9 200 Amp: 13200K
Navistar	160 Amp: 08GHP 200 Amp: 08GHU
Peterbilt	200 Amp: 2512140 (Hinge) 200 Amp: 2512130 (Pad)
Volvo	160 Amp: PJXMNX (No RS) 200 Amp: PJXMRX (No RS)
Western Star	160 Amp: 124-1D7

36SI OPTION CODES

Freightliner/ Western Star	124-1DJ
International	0008GGG
Kenworth	1812162*
Mack	132AB6, 132AB8
Navistar	08GGG
Peterbilt	2511400
Volvo	PJXM3X, PJXM0X (No RS)

38SI OPTION CODES

Freightliner/ Western Star	124-1G3
Kenworth	SQ
Mack	SQ
International	08GXT
Peterbilt	2511000
Volvo	PJXMXX

40SI 12V OPTION CODES

Freightliner/ Western Star	240 Amp: 124-1E8 275 Amp: 124-1E7 300 Amp: 124-1G1 320 Amp: 124-111
	International
	240 Amp: 0008GHK 300 Amp: 0008GHJ
Kenworth	240 Amp: 1812430* 275 Amp: 1812440* 300 Amp: 1812450 320 Amp: 1812451
	Mack
	240 Amp: 132AF2 320 Amp: 132-1239
Navistar	240 Amp: 08GHK* 300 Amp: 08GHJ
Peterbilt	240 Amp: 2511480* 275 Amp: 2512100 300 Amp: 2512120 320 Amp: 2511540
	Volvo
	240 Amp: PJXM7X 275 Amp: PJXM9X 300 Amp: PJXNAX 320 Amp: PJXNCX

40SI 24V OPTION CODES

Mack	130 Amp: PJXAWX 160 Amp: PJXAXX
Volvo	130 Amp: 228023 160 Amp: 228024

* Special Quote



® For Customer Service or
Technical Assistance call 800-372-0222

04 | 2026
DEL COREMY.COM